

## § 195.30

updating examinations) and increases/decreases in variable costs due to inflation and other factors. In order to calculate increases/decreases in costs due to inflation, EPA may use one of the three following indices: the Federal General Schedule (GS) pay scale, the Consumer Price Index (CPI), and/or a component of the CPI, such as services. Second, EPA will estimate the number of participants for each program. At a minimum, these participation rates will be based on past and current program participation rates. Third, EPA shall calculate the per capita costs that individuals and organizations should pay to enable it to recover its fixed and variable costs each year for each program. EPA shall also consider potential industry impacts as it adjusts to levels to ultimately achieve full cost recovery over the period of five years.

[60 FR 41816, Aug. 14, 1995]

### § 195.30 Failure to remit fee.

EPA will not process an application or continue a participant's listing in the National Radon Measurement Proficiency program, individual proficiency component of the RMP program, or the National Radon Contractor Proficiency program until the appropriate remittance provided in § 195.20(a) has been received by EPA. Failure by a currently EPA-listed organization or individual to remit the required fees in a timely manner will result in the loss of that organization's or individual's listing status as specified in § 195.20(c).

## PART 197—PUBLIC HEALTH AND ENVIRONMENTAL RADIATION PROTECTION STANDARDS FOR YUCCA MOUNTAIN, NEVADA

### Subpart A—Public Health and Environmental Standards for Storage

Sec.

- 197.1 What does subpart A cover?
- 197.2 What definitions apply in subpart A?
- 197.3 How is subpart A implemented?
- 197.4 What standard must DOE meet?
- 197.5 When will this part take effect?

## 40 CFR Ch. I (7–1–11 Edition)

### Subpart B—Public Health and Environmental Standards for Disposal

- 197.11 What does subpart B cover?
- 197.12 What definitions apply in subpart B?
- 197.13 How is subpart B implemented?
- 197.14 What is a reasonable expectation?
- 197.15 How must DOE take into account the changes that will occur during the period of geologic stability?

#### INDIVIDUAL-PROTECTION STANDARD

- 197.20 What standard must DOE meet?
- 197.21 Who is the reasonably maximally exposed individual?

#### HUMAN-INTRUSION STANDARD

- 197.25 What standard must DOE meet?
- 197.26 What are the circumstances of the human intrusion?

#### GROUND WATER PROTECTION STANDARDS

- 197.30 What standards must DOE meet?
- 197.31 What is a representative volume?

#### ADDITIONAL PROVISIONS

- 197.35 [Reserved]
- 197.36 Are there limits on what DOE must consider in the performance assessments?
- 197.37 Can EPA amend this rule?
- 197.38 Are the Individual Protection and Ground Water Protection Standards Severable?

#### APPENDIX A TO PART 197—CALCULATION OF ANNUAL COMMITTED EFFECTIVE DOSE EQUIVALENT

AUTHORITY: Sec. 801, Pub. L. 102–486, 106 Stat. 2921, 42 U.S.C. 10141 n.

SOURCE: 66 FR 32132, June 13, 2001, unless otherwise noted.

### Subpart A—Public Health and Environmental Standards for Storage

#### § 197.1 What does subpart A cover?

This subpart covers the storage of radioactive material by DOE in the Yucca Mountain repository and on the Yucca Mountain site.

#### § 197.2 What definitions apply in subpart A?

*Annual committed effective dose equivalent* means the effective dose equivalent received by an individual in one year from radiation sources external to the individual plus the committed effective dose equivalent.



## Environmental Protection Agency

## § 197.5

*Committed effective dose equivalent* means the effective dose equivalent received over a period of time (e.g., 30 years), as determined by NRC, by an individual from radionuclides internal to the individual following a one-year intake of those radionuclides.

*DOE* means the Department of Energy.

*Effective dose equivalent* means the sum of the products of the dose equivalent received by specified tissues following an exposure of, or an intake of radionuclides into, specified tissues of the body, multiplied by appropriate weighting factors. Annual committed effective dose equivalents shall be calculated using weighting factors in appendix A of this part, unless otherwise directed by NRC in accordance with the introduction to appendix A of this part.

*EPA* means the Environmental Protection Agency.

*General environment* means everywhere outside the Yucca Mountain site, the Nellis Air Force Range, and the Nevada Test Site.

*High-level radioactive waste* means:

(1) The highly radioactive material resulting from the reprocessing of spent nuclear fuel, including liquid waste produced directly in reprocessing and any solid material derived from such liquid waste that contains fission products in sufficient concentrations; and

(2) Other highly radioactive material that the Commission, consistent with existing law, determines by rule requires permanent isolation.

*Member of the public* means anyone who is not a radiation worker for purposes of worker protection.

*NRC* means the Nuclear Regulatory Commission.

*Radioactive material* means matter composed of or containing radionuclides subject to the Atomic Energy Act of 1954, as amended (42 U.S.C. 2014 *et seq.*). Radioactive material includes, but is not limited to, high-level radioactive waste and spent nuclear fuel.

*Spent nuclear fuel* means fuel that has been withdrawn from a nuclear reactor following irradiation, the constituent elements of which have not been separated by reprocessing.

*Storage* means retention (and any associated activity, operation, or process necessary to carry out successful retention) of radioactive material with the intent or capability to readily access or retrieve such material.

*Yucca Mountain repository* means the excavated portion of the facility constructed underground within the Yucca Mountain site.

*Yucca Mountain site* means:

(1) The site recommended by the Secretary of DOE to the President under section 112(b)(1)(B) of the Nuclear Waste Policy Act of 1982 (42 U.S.C. 10132(b)(1)(B)) on May 27, 1986; or

(2) The area under the control of DOE for the use of Yucca Mountain activities at the time of licensing, if the site designated under the Nuclear Waste Policy Act is amended by Congress prior to the time of licensing.

[66 FR 32132, June 13, 2001, as amended at 73 FR 61287, Oct. 15, 2008]

### § 197.3 How is subpart A implemented?

The NRC implements this subpart A. The DOE must demonstrate to NRC that normal operations at the Yucca Mountain site will and do occur in compliance with this subpart before NRC may grant or continue a license for DOE to receive and possess radioactive material within the Yucca Mountain site.

### § 197.4 What standard must DOE meet?

The DOE must ensure that no member of the public in the general environment receives more than an annual committed effective dose equivalent of 150 microsieverts (15 millirems) from the combination of:

(a) Management and storage (as defined in 40 CFR 191.2) of radioactive material that:

(1) Is subject to 40 CFR 191.3(a); and

(2) Occurs outside of the Yucca Mountain repository but within the Yucca Mountain site; and

(b) Storage (as defined in § 197.2) of radioactive material inside the Yucca Mountain repository.

### § 197.5 When will this part take effect?

The standards in this part take effect on July 13, 2001.



## Subpart B—Public Health and Environmental Standards for Disposal

### § 197.11 What does subpart B cover?

This subpart covers the disposal of radioactive material in the Yucca Mountain repository by DOE.

### § 197.12 What definitions apply in subpart B?

All definitions in subpart A of this part and the following:

*Accessible environment* means any point outside of the controlled area, including:

- (1) The atmosphere (including the atmosphere above the surface area of the controlled area);
- (2) Land surfaces;
- (3) Surface waters;
- (4) Oceans; and
- (5) The lithosphere.

*Aquifer* means a water-bearing underground geological formation, group of formations, or part of a formation (excluding perched water bodies) that can yield a significant amount of ground water to a well or spring.

*Barrier* means any material, structure, or feature that, for a period to be determined by NRC, prevents or substantially reduces the rate of movement of water or radionuclides from the Yucca Mountain repository to the accessible environment, or prevents the release or substantially reduces the release rate of radionuclides from the waste. For example, a barrier may be a geologic feature, an engineered structure, a canister, a waste form with physical and chemical characteristics that significantly decrease the mobility of radionuclides, or a material placed over and around the waste, provided that the material substantially delays movement of water or radionuclides.

*Controlled area* means:

- (1) The surface area, identified by passive institutional controls, that encompasses no more than 300 square kilometers. It must not extend farther:

- (a) South than 36°40'13.6661" north latitude, in the predominant direction of ground water flow; and

- (b) Than five kilometers from the repository footprint in any other direction; and

- (2) The subsurface underlying the surface area.

*Disposal* means the emplacement of radioactive material into the Yucca Mountain disposal system with the intent of isolating it for as long as reasonably possible and with no intent of recovery, whether or not the design of the disposal system permits the ready recovery of the material. Disposal of radioactive material in the Yucca Mountain disposal system begins when all of the ramps and other openings into the Yucca Mountain repository are sealed.

*Ground water* means water that is below the land surface and in a saturated zone.

*Human intrusion* means breaching of any portion of the Yucca Mountain disposal system, within the repository footprint, by any human activity.

*Passive institutional controls* means:

- (1) Markers, as permanent as practicable, placed on the Earth's surface;
- (2) Public records and archives;
- (3) Government ownership and regulations regarding land or resource use; and
- (4) Other reasonable methods of preserving knowledge about the location, design, and contents of the Yucca Mountain disposal system.

*Peak dose* means the highest annual committed effective dose equivalent projected to be received by the reasonably maximally exposed individual.

*Performance assessment* means an analysis that:

- (1) Identifies the features, events, processes, (except human intrusion), and sequences of events and processes (except human intrusion) that might affect the Yucca Mountain disposal system and their probabilities of occurring;

- (2) Examines the effects of those features, events, processes, and sequences of events and processes upon the performance of the Yucca Mountain disposal system; and

- (3) Estimates the annual committed effective dose equivalent incurred by the reasonably maximally exposed individual, including the associated uncertainties, as a result of releases caused by all significant features, events, processes, and sequences of



## Environmental Protection Agency

## § 197.14

events and processes, weighted by their probability of occurrence.

*Period of geologic stability* means the time during which the variability of geologic characteristics and their future behavior in and around the Yucca Mountain site can be bounded, that is, they can be projected within a reasonable range of possibilities. This period is defined to end at 1 million years after disposal.

*Plume of contamination* means that volume of ground water in the predominant direction of ground water flow that contains radioactive contamination from releases from the Yucca Mountain repository. It does not include releases from any other potential sources on or near the Nevada Test Site.

*Repository footprint* means the outline of the outermost locations of where the waste is emplaced in the Yucca Mountain repository.

*Slice of the plume* means a cross-section of the plume of contamination with sufficient thickness parallel to the prevalent direction of flow of the plume that it contains the representative volume.

*Total dissolved solids* means the total dissolved (filterable) solids in water as determined by use of the method specified in 40 CFR part 136.

*Undisturbed performance* means that human intrusion or the occurrence of unlikely natural features, events, and processes do not disturb the disposal system.

*Undisturbed Yucca Mountain disposal system* means that the Yucca Mountain disposal system is not affected by human intrusion.

*Waste* means any radioactive material emplaced for disposal into the Yucca Mountain repository.

*Well-capture zone* means the volume from which a well pumping at a defined rate is withdrawing water from an aquifer. The dimensions of the well-capture zone are determined by the pumping rate in combination with aquifer characteristics assumed for calculations, such as hydraulic conductivity, gradient, and the screened interval.

*Yucca Mountain disposal system* means the combination of underground engineered and natural barriers within the controlled area that prevents or sub-

stantially reduces releases from the waste.

[66 FR 32132, June 13, 2001, as amended at 73 FR 61287, Oct. 15, 2008]

### § 197.13 How is Subpart B implemented?

The NRC implements this subpart B. The DOE must demonstrate to NRC that there is a reasonable expectation of compliance with this subpart before NRC may issue a license.

(a) The NRC will determine compliance, based upon the arithmetic mean of the projected doses from DOE's performance assessments for the period within 1 million years after disposal, with:

(1) Sections 197.20(a)(1) and 197.20(a)(2) of this subpart; and

(2) Sections 197.25(b)(1), 197.25(b)(2), and 197.30 of this subpart, if performance assessment is used to demonstrate compliance with either or both of these sections.

(b) [Reserved]

[73 FR 61287, Oct. 15, 2008]

### § 197.14 What is a reasonable expectation?

Reasonable expectation means that NRC is satisfied that compliance will be achieved based upon the full record before it. Characteristics of reasonable expectation include that it:

(a) Requires less than absolute proof because absolute proof is impossible to attain for disposal due to the uncertainty of projecting long-term performance;

(b) Accounts for the inherently greater uncertainties in making long-term projections of the performance of the Yucca Mountain disposal system;

(c) Does not exclude important parameters from assessments and analyses simply because they are difficult to precisely quantify to a high degree of confidence; and

(d) Focuses performance assessments and analyses upon the full range of defensible and reasonable parameter distributions rather than only upon extreme physical situations and parameter values.



**§ 197.15 How must DOE take into account the changes that will occur during the period of geologic stability?**

The DOE should not project changes in society, the biosphere (other than climate), human biology, or increases or decreases of human knowledge or technology. In all analyses done to demonstrate compliance with this part, DOE must assume that all of those factors remain constant as they are at the time of license application submission to NRC. However, DOE must vary factors related to the geology, hydrology, and climate based upon cautious, but reasonable assumptions of the changes in these factors that could affect the Yucca Mountain disposal system during the period of geologic stability, consistent with the requirements for performance assessments specified at § 197.36.

[73 FR 61287, Oct. 15, 2008]

INDIVIDUAL-PROTECTION STANDARD

**§ 197.20 What standard must DOE meet?**

(a) The DOE must demonstrate, using performance assessment, that there is a reasonable expectation that the reasonably maximally exposed individual receives no more than the following annual committed effective dose equivalent from releases from the undisturbed Yucca Mountain disposal system:

- (1) 150 microsieverts (15 millirems) for 10,000 years following disposal; and
- (2) 1 millisievert (100 millirems) after 10,000 years, but within the period of geologic stability.

(b) The DOE's performance assessment must include all potential pathways of radionuclide transport and exposure.

[73 FR 61287, Oct. 15, 2008]

**§ 197.21 Who is the reasonably maximally exposed individual?**

The reasonably maximally exposed individual is a hypothetical person who meets the following criteria:

- (a) Lives in the accessible environment above the highest concentration of radionuclides in the plume of contamination;

(b) Has a diet and living style representative of the people who now reside in the Town of Amargosa Valley, Nevada. The DOE must use projections based upon surveys of the people residing in the Town of Amargosa Valley, Nevada, to determine their current diets and living styles and use the mean values of these factors in the assessments conducted for §§ 197.20 and 197.25; and

(c) Drinks 2 liters of water per day from wells drilled into the ground water at the location specified in paragraph (a) of this section.

HUMAN-INTRUSION STANDARD

**§ 197.25 What standard must DOE meet?**

(a) The DOE must determine the earliest time after disposal that the waste package would degrade sufficiently that a human intrusion (see § 197.26) could occur without recognition by the drillers.

(b) The DOE must demonstrate that there is a reasonable expectation that the reasonably maximally exposed individual will receive an annual committed effective dose equivalent, as a result of the human intrusion, of no more than:

- (1) 150 microsieverts (15 millirems) for 10,000 years following disposal; and
- (2) 1 millisievert (100 millirems) after 10,000 years, but within the period of geologic stability.

(c) The analysis must include all potential environmental pathways of radionuclide transport and exposure.

[73 FR 61288, Oct. 15, 2008]

**§ 197.26 What are the circumstances of the human intrusion?**

For the purposes of the analysis of human intrusion, DOE must make the following assumptions:

- (a) There is a single human intrusion as a result of exploratory drilling for ground water;
- (b) The intruders drill a borehole directly through a degraded waste package into the uppermost aquifer underlying the Yucca Mountain repository;
- (c) The drillers use the common techniques and practices that are currently employed in exploratory drilling for



## Environmental Protection Agency

## § 197.31

ground water in the region surrounding Yucca Mountain;

(d) Careful sealing of the borehole does not occur, instead natural degradation processes gradually modify the borehole;

(e) Only releases of radionuclides that occur as a result of the intrusion and that are transported through the resulting borehole to the saturated zone are projected; and

(f) No releases are included which are caused by unlikely natural processes and events.

### GROUND WATER PROTECTION STANDARDS

#### § 197.30 What standards must DOE meet?

The DOE must demonstrate that there is a reasonable expectation that, for 10,000 years of undisturbed performance after disposal, releases of radionuclides from waste in the Yucca Mountain disposal system into the accessible environment will not cause the level of radioactivity in the representative volume of ground water to exceed the limits in the following Table 1:

TABLE 1—LIMITS ON RADIONUCLIDES IN THE REPRESENTATIVE VOLUME

Radionuclide or type of radiation emitted	Limit	Is natural background included?
Combined radium-226 and radium-228 .....	5 picocuries per liter .....	Yes.
Gross alpha activity (including radium-226 but excluding radon and uranium).	15 picocuries per liter .....	Yes.
Combined beta and photon emitting radionuclides	40 microsieverts (4 millirem) per year to the whole body or any organ, based on drinking 2 liters of water per day from the representative volume.	No.

#### § 197.31 What is a representative volume?

(a) It is the volume of ground water that would be withdrawn annually from an aquifer containing less than 10,000 milligrams of total dissolved solids per liter of water to supply a given water demand. The DOE must project the concentration of radionuclides released from the Yucca Mountain disposal system that will be in the representative volume. The DOE must then use the projected concentrations to demonstrate a reasonable expectation to NRC that the Yucca Mountain disposal system complies with § 197.30. The DOE must make the following assumptions concerning the representative volume:

(1) It includes the highest concentration level in the plume of contamination in the accessible environment;

(2) Its position and dimensions in the aquifer are determined using average hydrologic characteristics which have cautious, but reasonable, values representative of the aquifers along the radionuclide migration path from the Yucca Mountain repository to the accessible environment as determined by site characterization; and

(3) It contains 3,000 acre-feet of water (about 3,714,450,000 liters or 977,486,000 gallons).

(b) The DOE must use one of two alternative methods for determining the dimensions of the representative volume. The DOE must propose its chosen method, and any underlying assumptions, to NRC for approval.

(1) The DOE may calculate the dimensions as a well-capture zone. If DOE uses this approach, it must assume that the:

(i) Water supply well(s) has (have) characteristics consistent with public water supply wells in the Town of Amargosa Valley, Nevada, for example, well-bore size and length of the screened intervals;

(ii) Screened interval(s) include(s) the highest concentration in the plume of contamination in the accessible environment; and

(iii) Pumping rates and the placement of the well(s) must be set to produce an annual withdrawal equal to the representative volume and to tap the highest concentration within the plume of contamination.

(2) The DOE may calculate the dimensions as a slice of the plume. If DOE uses this approach, it must:



## § 197.35

(i) Propose to NRC, for its approval, where the location of the edge of the plume of contamination occurs. For example, the place where the concentration of radionuclides reaches 0.1% of the level of the highest concentration in the accessible environment;

(ii) Assume that the slice of the plume is perpendicular to the prevalent direction of flow of the aquifer; and

(iii) Assume that the volume of ground water contained within the slice of the plume equals the representative volume.

### ADDITIONAL PROVISIONS

## § 197.35 [Reserved]

### § 197.36 Are there limits on what DOE must consider in the performance assessments?

(a) Yes, there are limits on what DOE must consider in the performance assessments.

(1) The DOE's performance assessments conducted to show compliance with §§197.20(a)(1), 197.25(b)(1), and 197.30 shall not include consideration of very unlikely features, events, or processes, i.e., those that are estimated to have less than one chance in 100,000,000 per year of occurring. Features, events, and processes with a higher chance of occurring shall be considered for use in performance assessments conducted to show compliance with §§197.20(a)(1), 197.25(b)(1), and 197.30, except as stipulated in paragraph (b) of this section. In addition, unless otherwise specified in these standards or NRC regulations, DOE's performance assessments need not evaluate the impacts resulting from features, events, and processes or sequences of events and processes with a higher chance of occurring if the results of the performance assessments would not be changed significantly in the initial 10,000-year period after disposal.

(2) The same features, events, and processes identified in paragraph (a)(1) of this section shall be used in performance assessments conducted to show compliance with §§197.20(a)(2) and 197.25(b)(2), with additional considerations as stipulated in paragraph (c) of this section.

(b) For performance assessments conducted to show compliance with

## 40 CFR Ch. I (7-1-11 Edition)

§§197.25(b) and 197.30, DOE's performance assessments shall exclude unlikely features, events, or processes, or sequences of events and processes. The DOE should use the specific probability of the unlikely features, events, and processes as specified by NRC.

(c) For performance assessments conducted to show compliance with §§197.20(a)(2) and 197.25(b)(2), DOE's performance assessments shall project the continued effects of the features, events, and processes included in paragraph (a) of this section beyond the 10,000-year post-disposal period through the period of geologic stability. The DOE must evaluate all of the features, events, or processes included in paragraph (a) of this section, and also:

(1) The DOE must assess the effects of seismic and igneous scenarios, subject to the probability limits in paragraph (a) of this section for very unlikely features, events, and processes. Performance assessments conducted to show compliance with §197.25(b)(2) are also subject to the probability limits for unlikely features, events, and processes as specified by NRC.

(i) The seismic analysis may be limited to the effects caused by damage to the drifts in the repository, failure of the waste packages, and changes in the elevation of the water table under Yucca Mountain. NRC may determine the magnitude of the water table rise and its significance on the results of the performance assessment, or NRC may require DOE to demonstrate the magnitude of the water table rise and its significance in the license application. If NRC determines that the increased elevation of the water table does not significantly affect the results of the performance assessment, NRC may choose to not require its consideration in the performance assessment.

(ii) The igneous analysis may be limited to the effects of a volcanic event directly intersecting the repository. The igneous event may be limited to that causing damage to the waste packages directly, causing releases of radionuclides to the biosphere, atmosphere, or ground water.

(2) The DOE must assess the effects of climate change. The climate change analysis may be limited to the effects



of increased water flow through the repository as a result of climate change, and the resulting transport and release of radionuclides to the accessible environment. The nature and degree of climate change may be represented by constant climate conditions. The analysis may commence at 10,000 years after disposal and shall extend through the period of geologic stability. The NRC shall specify in regulation the values to be used to represent climate change, such as temperature, precipitation, or infiltration rate of water.

(3) The DOE must assess the effects of general corrosion on engineered barriers. The DOE may use a constant representative corrosion rate throughout the period of geologic stability or a distribution of corrosion rates correlated to other repository parameters.

[73 FR 61288, Oct. 15, 2008]

#### § 197.37 Can EPA amend this rule?

Yes. We can amend this rule by conducting another notice-and-comment rulemaking. Such a rulemaking must include a public comment period. Also, we may hold one or more public hearings, if we receive a written request to do so.

#### § 197.38 Are the Individual Protection and Ground Water Protection Standards Severable?

Yes. The individual protection and ground water protection standards are severable.

#### APPENDIX A TO PART 197—CALCULATION OF ANNUAL COMMITTED EFFECTIVE DOSE EQUIVALENT

Unless otherwise directed by NRC, DOE shall use the radiation weighting factors and tissue weighting factors in this Appendix to calculate the internal component of the annual committed effective dose equivalent for compliance with §§197.20 and 197.25 of this part. NRC may allow DOE to use updated factors issued after the effective date of this regulation. Any such factors shall have been issued by consensus scientific organizations and incorporated by EPA into Federal radiation guidance in order to be considered generally accepted and eligible for this use. Further, they must be compatible with the effective dose equivalent dose calculation methodology established in ICRP 26 and 30, and continued in ICRP 60 and 72, and incorporated in this appendix.

#### I. EQUIVALENT DOSE

The calculation of the committed effective dose equivalent (CEDE) begins with the determination of the equivalent dose,  $H_T$ , to a tissue or organ, T, listed in Table A.2 below by using the equation:

$$H_T = \sum_R D_{T,R} \cdot w_R$$

where  $D_{T,R}$  is the absorbed dose in rads (one gray, an SI unit, equals 100 rads) averaged over the tissue or organ, T, due to radiation type, R, and  $w_R$  is the radiation weighting factor which is given in Table A.1 below. The unit of equivalent dose is the rem (sievert, in SI units).

TABLE A.1—RADIATION WEIGHTING FACTORS,  $w_R$ <sup>1</sup>

Radiation type and energy range <sup>2</sup>	$w_R$ value
Photons, all energies .....	1
Electrons and muons, all energies .....	1
Neutrons, energy	
< 10 keV .....	5
10 keV to 100 keV .....	10
> 100 keV to 2 MeV .....	20
>2 MeV to 20 MeV .....	10
> 20 MeV .....	5
Protons, other than recoil protons, > 2 MeV .....	5
Alpha particles, fission fragments, heavy nuclei	20

<sup>1</sup> All values relate to the radiation incident on the body or, for internal sources, emitted from the source.

<sup>2</sup> See paragraph A14 in ICRP Publication 60 for the choice of values for other radiation types and energies not in the table.

#### II. EFFECTIVE DOSE EQUIVALENT

The next step is the calculation of the *effective dose equivalent*, E. The probability of occurrence of a stochastic effect in a tissue or organ is assumed to be proportional to the equivalent dose in the tissue or organ. The constant of proportionality differs for the various tissues of the body, but in assessing health detriment the total risk is required. This is taken into account using the tissue weighting factors,  $w_T$  in Table A.2, which represent the proportion of the stochastic risk resulting from irradiation of the tissue or organ to the total risk when the whole body is irradiated uniformly and  $H_T$  is the equivalent dose in the tissue or organ, T, in the equation:

$$E = \sum_T w_T \cdot H_T$$

TABLE A.2—TISSUE WEIGHTING FACTORS,  $w_T$

Tissue or organ	$w_T$ value
Gonads .....	0.20
Bone marrow (red) .....	0.12
Colon .....	0.12
Lung .....	0.12
Stomach .....	0.12



TABLE A.2—TISSUE WEIGHTING FACTORS,  $w_T$ —  
Continued

Tissue or organ	$w_T$ value
Bladder .....	0.05
Breast .....	0.05
Liver .....	0.05
Esophagus .....	0.05
Thyroid .....	0.05
Skin .....	0.01
Bone surface .....	0.01
Remainder .....	<sup>a b</sup> 0.05

<sup>a</sup>Remainder is composed of the following tissues: adrenals, brain, extrathoracic airways, small intestine, kidneys, muscle, pancreas, spleen, thymus, and uterus.

<sup>b</sup>The value 0.05 is applied to the mass-weighted average dose to the Remainder tissues group, except when the following “splitting rule” applies: If a tissue of Remainder receives a dose in excess of that received by any of the 12 tissues for which weighting factors are specified, a weighting factor of 0.025 (half of Remainder) is applied to that tissue or organ and 0.025 to the mass-averaged committed equivalent dose equivalent in the rest of the Remainder tissues.

### III. ANNUAL COMMITTED TISSUE OR ORGAN EQUIVALENT DOSE

For internal irradiation from incorporated radionuclides, the total absorbed dose will be spread out in time, being gradually delivered as the radionuclide decays. The time distribution of the absorbed dose rate will vary with the radionuclide, its form, the mode of intake and the tissue within which it is incorporated. To take account of this distribution the quantity *committed equivalent dose*,  $H_T(\tau)$  where  $\tau$  is the integration time in years

following an intake over any particular year, is used and is the integral over time of the equivalent dose rate in a particular tissue or organ that will be received by an individual following an intake of radioactive material into the body:

$$H_T(\tau) = \int_{t_0}^{t_0 + \tau} H_T(t) dt$$

for a single intake of activity at time  $t_0$  where  $H_T(\tau)$  is the relevant equivalent-dose rate in a tissue or organ at time  $t$ . For the purposes of this rule, the previously mentioned single intake may be considered to be an annual intake.

### IV. INTERNAL COMPONENT OF THE ANNUAL COMMITTED EFFECTIVE DOSE EQUIVALENT

If the annual committed equivalent doses to the individual tissues or organs resulting from an annual intake are multiplied by the appropriate weighting factors,  $w_T$ , from table A.2, and then summed, the result will be the internal component of the *annual committed effective dose equivalent*  $E(\tau)$ :

$$E(\tau) = \sum_T w_T \cdot H_T(\tau).$$

[73 FR 61288, Oct. 15, 2008]